

Printing date 03/24/2017

Reviewed on 03/24/2017

Page 1/11

Tining dule 05/24/2017	<i>Reviewed on 05/24/2017</i>
1 Identification	
· Product identifier	
• Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)	
• Article number: D4302-1-150 • Application of the substance / the mixture Laboratory Reagent	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
• <i>Information department:</i> Product safety department • <i>Emergency telephone number:</i>	
During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949	9) 679 1190
2 Hazard(s) identification Classification of the substance or mixture 	
GHS05 Corrosion	
Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
Acute Tox. 4 H302 Harmful if swallowed.	
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.	
 Label elements GHS label elements The product is classified and labeled according to the G Hazard pictograms GHS05, GHS07 Signal word Danger 	lobally Harmonized System (GHS).
 Hazard-determining components of labeling: guanidinium thiocyanate Hazard statements 	
Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.	
• <i>Precautionary statements</i> Do not breathe dusts or mists.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Avoid release to the environment.	



Printing date 03/24/2017

Reviewed on 03/24/2017

Page 2/11

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

(Contd. of page 1) Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 FIRE Fire = 11 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 593-84-0	guanidinium thiocyanate	≤50%
CAS: 56-81-5	glycerol	≤50%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

• After inhalation:

(Contd. of page 2)

Supply fresh air. If required, provide artificial respiration if trained to do so. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

 \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

- After swallowing:
- Rinse mouth

DO NOT induce vomiting.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.
- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear self-contained breathing apparatus for responding to non-incidental release of this material in which there is the potential for inhalation of vapors, mists or sprays Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

Page 3/11

US



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

· Protective Actio	n Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	·	
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m3
CAS: 56-81-5	glycerol	45 mg/m3
· PAC-2:		
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m3
CAS: 56-81-5	glycerol	180 mg/m3
· PAC-3:		
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m3
CAS: 56-81-5	glycerol	1,100 mg/m3

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Page 4/11



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

· Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.


· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Liquid

Clear

Eye protection:



9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:
- Form: Color:
- · Odor:
- Odor threshold:
- Ouor mesno
- · pH-value:

No information available Not determined. Not determined.

(Contd. on page 6)

US

(Contd. of page 4)



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

	(Contd. of pa	ıge
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	290 °C (554 °F)	
Flash point:	160 °C (320 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	400 °C (752 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.9 Vol %	
Upper:	0.0 Vol %	
Vapor pressure at 20 °C (68 °F):	0.1 hPa	
Density at 20 °C (68 °F):	644.63 g/cm ³ (379.437 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	50.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	50.0 %	_
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- *Thermal decomposition / conditions to be avoided:* Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers

(Contd. on page 7)

Page 6/11

US



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

· Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 593-84-0 guanidinium thiocyanate

EC50 42.4 mg/kg (daphnia)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

Page 7/11

(Contd. of page 6)



Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number	UN1720
· DOT, IMDG, IATA	UN1760
\cdot UN proper shipping name	
·DOT	Corrosive liquids, n.o.s. (guanidinium thiocyanate)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
· Transport hazard class(es)	
· DOT	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ĬMDG, IATA	III

(Contd. of page 7)



Page 9/11

Safety Data Sheet acc. to OSHA HCS

Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

	(Contd. of page
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Stowage Category	А
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUIDS, N.O.S. (GUANIDINIUM
	THIOCYANATE), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

(Contd. on page 10)

US



Page 10/11

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/24/2017

Reviewed on 03/24/2017

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labeling: guanidinium thiocyanate · Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. · Precautionary statements Do not breathe dusts or mists. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave.



Printing date 03/24/2017

Reviewed on 03/24/2017

Page 11/11

Trade name: ZymoBIOMICS BashingBead Buffer (150 mL)

(Contd. of p	age 10)
Irvine, CA 92614	
USA	
Phone: 1-949-679-1190 or 1-888-882-9682	
Contact: sds@zymoresearch.com	
Date of preparation / last revision 03/24/2017 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Ca	rriage
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
	US-